

CERTIFICATO DI ACCREDITAMENTO

Accreditation Certificate

ACCREDITAMENTO N. **070B REV. 14**
ACCREDITATION N.

EMESSO DA **DIPARTIMENTO CERTIFICAZIONE E ISPEZIONE**
ISSUED BY

SI DICHIARA CHE **ACAE**
WE DECLARE THAT

SEDE PRINCIPALE/HEADQUARTER:

▪ Via Tito Livio, 5 24123 - BERGAMO (BG) - Italia

È CONFORME AI REQUISITI **UNI CEI EN/ISO/IEC 17065:2012**
DELLA NORMA

MEETS THE REQUIREMENTS **EN/ISO/IEC 17065:2012**
OF THE STANDARD

QUALE ORGANISMO DI **Certificazione di prodotti/servizi**
AS BODY FOR THE *(così come dettagliato negli Allegati al presente Certificato)*
Certification of products/services
(as stated in the Enclosures to this Certificate)

Data di 1^a emissione
1st issue date
21-05-2003

Data di modifica
Modification date
22-06-2020

Data di Scadenza
Expiry date
20-05-2023


Dott. Emanuele Riva
Il Direttore di Dipartimento
The Department Director


Dott. Filippo Trifiletti
Il Direttore Generale
The General Director


Ing. Giuseppe Rossi
Il Presidente
The President

Il presente Certificato non è da ritenersi valido se non accompagnato dai relativi Allegati e può essere sospeso o revocato in qualsiasi momento nel caso di inadempienza accertata da parte di ACCREDIA. La validità dell'accREDITAMENTO può essere verificata sul sito WEB (www.accredia.it) o richiesta direttamente al Dipartimento di competenza.

This Certificate is not valid without the relative Enclosures and can be suspended or withdrawn at any time in the event of non fulfilment as ascertained by ACCREDIA. Confirmation of the validity of accreditation can be verified on the website (www.accredia.it) or by contacting the relevant Department.

Pag.1 di 1

Allegato 1 al Certificato di accreditamento n° 070B Rev. 14
Enclosure 1 to the accreditation Certificate n° 070B Rev. 14

rilasciato a / issued to: **ACAE**

Certificazione di prodotti nei seguenti settori:


- Apparecchiature e componenti elettrici di bassa e alta tensione
(Vedere l'Allegato al Certificato).

Certification of products within the following sectors:

- Low and High voltage electrical products
(see Enclosure to the Certificate).

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023
The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023


(Dott. Emanuele Riva)
Il Direttore di Dipartimento
The Department Director


(Dott. Filippo Trifiletti)
Il Direttore Generale
The General Director


(Ing. Giuseppe Rossi)
Il Presidente
The President

Milano, 22-06-2020

Allegato 2 al Certificato di accreditamento n° 070B Rev. 14
Enclosure 2 to the accreditation Certificate n° 070B Rev. 14

rilasciato a / issued to: **ACAE**

Aggiornato in data: 22-06-2020
Updated on: 22-06-2020

LOW AND HIGH VOLTAGE PRODUCTS - LIST OF IEC - EN - CEI STANDARDS
ELENCO NORME IEC - EN - CEI PER PRODOTTI DI BASSA E ALTA TENSIONE

TC 7 Overhead electrical conductors

CT 7 Linee elettriche aeree e materiali conduttori

50182 Conductors for overhead lines. Round wire concentric lay stranded conductors

TC 11 Overhead lines

CT 11 Impianti elettrici ad alta tensione e di distribuzione pubblica di bassa tensione

50341-1 Overhead electrical lines exceeding AC 1 kV

50423-1 Overhead electrical lines exceeding AC 1 kV up to and including AC 45 kV Part 1: General requirements - Common specifications

61219 Earthing or earthing and short-circuiting equipment using lances as a short-circuiting device

61230 Portable equipment for earthing or earthing and short-circuiting

61235 Insulating hollow tubes for electrical purposes

61284 Requirements and tests for fittings

Technical Specification LIN_000M3900_01

TC 14 Power transformers

CT 14 Trasformatori

50464-1 Three phase oil immersed distribution transformers 50 Hz up to 36 kV from 50 kVA to 2500 kVA

50588-1 Medium power transformers 50 Hz, with highest voltage for equipment not exceeding 36 kV Part 1: General requirements

60076-1 Power transformers - Part 1: General

60076-2 Power transformers - Part 2: Temperature rise for liquid-immersed transformers

60076-3 Power transformers - Part 3: Insulation levels, dielectric tests and external clearances in air

60076-4 Power transformers - Part 4: Guide to the lightning impulse and switching impulse testing - Power transformers and reactors

60076-5 Power transformers - Part 5: Ability to withstand short circuit

60076-6 Power transformers - Part 6: Reactors

60076-10 Power transformers - Part 10: Determination of sound levels

60076-11 Power transformers - Part 11: Dry-type transformers power transformers 50 Hz, with highest voltage for equipment not exceeding 36 kV - Part 1: General requirements

60076-13 Power transformers - Part 13: Self-protected liquid-filled transformers

Technical Specification GST001, RSPT15-0079STS-PAC

TC17-SC17A-SC17C Switchgear and controlgear / High-voltage switchgear and controlgear / High-voltage switchgear and controlgear assemblies

CT17-SC17A/C Grossa apparecchiatura / Apparecchiature e quadri protetti di alta tensione

62271-1 High-voltage switchgear and controlgear - Part 1: Common specifications for alternating current switchgear and controlgear

62271-100 High-voltage alternating current circuit-breakers

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023
The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023


(Dott. Emanuele Riva)
Il Direttore di Dipartimento
The Department Director


(Dott. Filippo Trifiletti)
Il Direttore Generale
The General Director


(Ing. Giuseppe Rossi)
Il Presidente
The President

Allegato 2 al Certificato di accreditamento n° 070B Rev. 14

Enclosure 2 to the accreditation Certificate n° 070B Rev. 14

- 62271-101 High-voltage switchgear and controlgear - Part 101: Synthetic testing
 - 62271-102 High-voltage alternating current disconnectors and hearing switches
 - 62271-103 High-voltage switches for rated voltage above 1 kV and less than 52 kV
 - 62271-104 High-voltage switches for rated voltage of 52 kV and above
 - 62271-105 High-voltage alternating current switch-fuse combinations
 - 62271-106 High-voltage alternating current contactors and contactor based motor-starters
 - 62271-107 High-voltage switchgear and controlgear - Part 107: Alternating current fused circuit-switchers for rated voltages above 1 kV up to and including 52 kV
 - 62271-200 Metal enclosed switchgear and controlgear for rated voltages up to and including 36 kV
 - 62271-201 High-voltage switchgear and controlgear - Part 201: AC solid-insulation enclosed switchgear and controlgear for rated voltages above 1 kV
 - 62271-202 High-voltage/low voltage prefabricated substations
 - 62271-203 Gas-insulated metal enclosed switchgear for rated voltages above 52 kV
 - 62271-205 Compact switchgear assemblies for rated voltages above 52 kV
 - 62271-210 High-voltage switchgear and controlgear - Part 210: Seismic qualification for metal enclosed and solid-insulation enclosed switchgear and controlgear assemblies for rated voltages above 1 kV and up to and including 52 kV
 - 62271-304 High-voltage switchgear and controlgear - Part 304: Design classes for indoor enclosed switchgear and controlgear for rated voltages above
- Technical specifications: DY0074A, DY106, DY1100, DY800, DY803, DY808, DY900, INGGIS001, GSCM003, GSM001, INSASS01, GSM003

TC 22 Power electronic systems and equipment

CT 22 Elettronica di potenza

- 50178 Electronic equipment for use in power installations
 - 60950-1 Information technology equipment - Safety Part 1: General requirements
 - 60146-1-1 Semiconductor converters - General requirements and line commutated converters - Part 1-1: Specification of basic requirements
 - 60146-1-3 Semiconductor converters - General requirements and line commutated converters - Part 1-3: Transformers and reactors
 - 60146-2 Semiconductor converters- Part 2: Self-commutated semiconductor converters including direct d.c. converters
 - 61557-12 Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. - Equipment for testing, measuring or monitoring of protective measures. Part 12: Performance measuring and monitoring devices (PMD)
 - 61800 Adjustable speed electrical power drive systems
 - 62040-1 Uninterruptible power systems (UPS) - Part 1: General and safety requirements for UPS
 - 62040-2 Uninterruptible power systems (UPS) - Part 2: Electromagnetic compatibility (EMC) requirements
 - 62040-3 Uninterruptible power systems (UPS) - Part 3: Method of specifying the performance and test requirements
 - 62040-4 Uninterruptible power systems (UPS) - Part 4: Environmental aspects - Requirements and reporting
 - 62477-1 Safety requirements for power electronic converter systems and equipment - Part 1: General
- Technical specification RSPT-150080STS-PAC


TC 23 Electrical accessories

CT 23 Apparecchiatura a bassa tensione


- 50085-1 Cable trunking systems and cable ducting systems for electrical installation: General requirements
- 60309-1 Plug, socket-outlets and couplers for industrial purposes - Part 1: General requirements
- 60309-2 Plug, socket-outlets and couplers for industrial purposes - Part 2: Dimensional interchangeability requirements for top pin and contact-tube accessories.
- 60669-1 Switches for household and similar fixed-electrical installations - Part 1: General requirements
- 60669-2-1 Switches for household and similar fixed-electrical installations - Part 2: Electronic switches
- 60755 General requirements for residual current operated protective devices
- 60898 Electrical accessories-Circuit-breakers for overcurrent protection for household and similar installations Part 1:Circuit-breakers for a.c. operation
- 61008-1 Residual current operated circuit-breakers without integral overcurrent protection for household and similar use (RCCB's) - Part 1: General rules

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023

The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023


(Dott. Emanuele Riva)
Il Direttore di Dipartimento
The Department Director


(Dott. Filippo Trifiletti)
Il Direttore Generale
The General Director


(Ing. Giuseppe Rossi)
Il Presidente
The President

Allegato 2 al Certificato di accreditamento n° 070B Rev. 14 Enclosure 2 to the accreditation Certificate n° 070B Rev. 14

- 61008-2-1 Residual current operated circuit-breakers without integral overcurrent protection for household similar use (RCCB's) – Part 2-1: Applicability of the general rules to RCCB's functionally independent of line voltage
- 61008-2-2 Residual current operated circuit-breakers without integral overcurrent protection for household and similar use (RCCB's) – Part 2-2: Applicability of the general rules to RCCB's functionally dependent of line voltage
- 61009-1 Residual current operated circuit-breakers with integral overcurrent protection for household and similar use (RCBO's) – Part 1: General rules
- 61009-2-1 Residual current operated circuit-breakers with integral overcurrent protection for household and similar use (RCBO's) – Part 2-1: Applicability of general rules to RCBO's functionally independent of line voltage
- 61009-2-2 Residual current operated circuit-breakers with integral overcurrent protection for household and similar use (RCBO's) – Part 2-2: Applicability of general rules to RCBO's functionally dependent of line voltage
- 61210 Connecting devices - Flat quick-connect terminations for electrical copper conductors - Safety requirements
- 61386-1 Conduit systems for cable management - Part 1: General requirements
- 61386-21 Conduit systems for cable management - Part 21: Particular requirements - Rigid conduit systems
- 61386-22 Conduit systems for cable management - Part 22: Particular requirements - Pliable conduit systems
- 61386-23 Conduit systems for cable management - Part 23: Particular requirements - Flexible conduit systems
- 61386-24 Conduit systems for cable management - Part 24: Particular requirements - Conduit systems buried underground
- 62019 Electrical accessories circuit-breakers and similar equipment for household use - Auxiliary contact units

TC 32 Fuses

CT 32 Fusibili

- 60127 Miniature fuses
- 60269-1 Low-voltage fuses - Part 1: General requirements
- 60269-2 Low-voltage fuses - Part 2: Supplementary requirements for fuses for use by authorized persons
- 60269-3 Low-voltage fuses - Part 3: Supplementary requirements for fuses for use by unskilled persons
- 60269-4 Low-voltage fuses - Part 4: Supplementary requirements for fuse-links for the protection of semiconductor devices
- 60282-1 High-voltage fuses-Part 1: Current-limiting fuses
- 60282-2 High-voltage fuses-Part 2: Expulsion fuses
- 60644 Specification for high-voltage fuse-links for motor circuit applications
- Technical specification GSCL004

TC 33 Power capacitor

CT 33 Condensatori

- 60358 Coupling capacitors and capacitor dividers
- 60831-1 Shunt power capacitors of the self-healing type for a.c. systems having a rated voltage up to and including 1 000 V
- 60831-2 Shunt power capacitors of the self-healing type for a.c. systems having a rated voltage up to and including 1 000 V - Part 2: Ageing test, self-healing test and destruction test
- 60871 Shunt capacitors for a.c. power systems having a rated voltage above 1 000 V

TC 36 Insulator

CT 36 Isolatori

- 50180-1 Bushings above 1 kV up to 52 kV and from 250 A to 3,15 kA for liquid filled transformers - Part 1: General requirements for bushings
- 50181 Bushings above 1kV up to 36kV and from 250A to 1250A for equipment other than liquid filled transformers
- 50243 Outdoor bushings for 24kV and 36kV, 5kA and 8kA for liquid filled transformers
- 50386 Bushings up to 1 kV and from 250A up to 5000A for liquid filled transformers
- 50387 Busbar bushings up to 1kV and from 1,25kA to 5kA for liquid filled transformers
- 60137 Insulated bushings for alternating voltages above 1kV
- 60168 Tests on indoor and outdoor post insulators of ceramic material or glass for systems with nominal voltage greater than 1000V
- 60273 Characteristic of indoor and outdoor post insulators for systems with nominal voltages greater than 1000 V

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023
The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023


(Dott. Emanuele Riva)
Il Direttore di Dipartimento
The Department Director


(Dott. Filippo Trifiletti)
Il Direttore Generale
The General Director


(Ing. Giuseppe Rossi)
Il Presidente
The President

Allegato 2 al Certificato di accreditamento n° 070B Rev. 14

Enclosure 2 to the accreditation Certificate n° 070B Rev. 14

- 60383-1 Insulators for overhead lines with a nominal voltage above 1000 V - Part 1: Ceramic or glass insulator units for a.c. systems - Definitions, test methods and acceptance criteria
- 60383-2 Insulators for overhead lines with a nominal voltage above 1000 V - Part 2: Insulator strings and insulator sets for a.c. systems - Definitions,
- 61109 Insulators for overhead lines - Composite suspension and tension insulators for a.c. systems with a nominal voltage greater than 1 000 V - Definitions, test methods and acceptance criteria
- 61462 Composite hollow insulators - Pressurized and unpressurized insulators for use in electrical equipment with rated voltage greater than 1 000 V - Definitions, test methods, acceptance criteria and design recommendations
- 61466-1 Composite string insulator units for overhead lines with a nominal voltage greater than 1 000 V - Part 1: Standard strength and end fittings
- 61466-2 Composite string insulator units for overhead lines with a nominal voltage greater than 1 000 V - Part 2: Dimensional and electrical
- 61952 Insulators for overhead lines - Composite line post insulators for A.C. systems with a nominal voltage greater than 1 000 V - Definitions, test
- 62199 Bushings for d.c. application
- 62231 Composite station post insulators for substations with a.c. voltages greater than 1 000 V up to 245 kV - Definitions, test methods and acceptance criteria

Technical specifications: INSCIS01, LIN_00000J18, LIN_00000J21, GSH002

TC 37 Surge arresters

CT 37 Scaricatori

- 60099-1 Surge arresters - Part 1: Non-linear resistor type gapped surge arresters for a.c. systems
- 60099-4 Surge arresters: - Part 4 Metal oxide surge arresters without gaps for a.c. systems
- 60099-5 Surge arresters: - Part 5 Selection and application recommendation

TC 38 Instruments transformers

CT 38 Trasformatori di misura

- 60044-4 Instrument transformers - Part 4: Measurement of partial discharges
- 60044-7 Instruments transformers - Part 7: Electronic voltage transformers
- 60044-8 Instruments transformers - Part 8: Electronic current transformers
- 61869-1 Instrument transformers - Part 1: General requirements
- 61869-2 Instrument transformers - Part 2: Additional requirements for current transformers
- 61869-3 Instrument transformers - Part 3: Additional requirements for inductive voltage transformers
- 61869-4 Instrument transformers - Part 4: Additional requirements for combined transformers
- 61869-5 Instrument transformers - Part 5: Additional requirements for capacitor voltage transformers
- 61869-10 Instrument transformers - Part 10: Additional requirements for low-power passive current transformers
- 61869-11 Instrument transformers - Part 11: Additional requirements for low power passive voltage transformers

Technical specification INSAAS01

TC 57 Power systems management and associated information exchange

CT 57 Scambio informativo associato alla gestione dei sistemi elettrici di potenza

- 60353 Line traps for a.c. power systems

TC 65 Industrial-process measurement and control

CT 65 Controllo e misura dei processi industriali

- 61131-1 Programmable controllers - Part 1: General informations
- 61131-2 Programmable controllers - Part 2: Equipment requirements and tests


TC69 Electric road vehicles and electric industrial trucks

CT69 Macchine elettriche dei veicoli stradali elettrici

- 61851-1 Electric vehicle conductive charging system - Part 1: General requirements

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023

The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023


(Dott. Emanuele Riva)
Il Direttore di Dipartimento
The Department Director


(Dott. Filippo Trifiletti)
Il Direttore Generale
The General Director


(Ing. Giuseppe Rossi)
Il Presidente
The President

Allegato 2 al Certificato di accreditamento n° 070B Rev. 14
Enclosure 2 to the accreditation Certificate n° 070B Rev. 14

- 61851-21 Electric vehicle conductive charging system - Part 21: Electric vehicle requirements for conductive connection to an a.c./d.c. supply
61851-22 Electric vehicle conductive charging system - Part 22: AC electric vehicle charging station
61851-23 Electric vehicle conductive charging system - Part 23: DC electric vehicle charging station
61851-24 Electric vehicle conductive charging system - Part 24: Digital communication between a d.c. EV charging station and an electric vehicle for control of d.c. charging
TS 62763 Pilot function through a control pilot circuit using PWM (pulse width modulation) and a control pilot wire

TC 70 Degree of protection by enclosures

CT 70 Involucro di protezione

- 60529 Degree of protection provided by enclosures (IP Code)

TC 72 Automatic electrical controls

CT 72 Dispositivi elettrici automatici di comando

- 60730 Automatic electrical controls

TC 78 Live working

CT 78 Lavori elettrici sotto tensione

- 60832-1 Insulating sticks and attachable devices - Part 1: Insulating sticks
60832-2 Insulating sticks and attachable devices - Part 2: Attachable devices
60855 Insulating foam-filled tubes and solid rods - Part 1: Tubes and rods of a circular cross-section
60984 Sleeves of insulating material for live working
61111 Electrical insulating matting
61219 Earthing or earthing and short-circuit equipment using lances as a short-circuiting device Lance earthing
61229 Rigid protective covers for live working on a.c. installations
61230 Portable equipment for earthing or earthing and short-circuiting
61235 Insulating hollow tubes for electrical purposes
61243-1 Voltage detectors - Part 1: Capacitive type to be used for voltages exceeding
61243-5 Voltage detectors - Part 5: Voltage detecting systems (VDS)
61243-6 Guidelines on non-contact voltage detectors (NCVD) for use at nominal voltages above 1 kV AC
60900 Lavori sotto tensione - Attrezzi manuali per tensioni fino a 1000 V in corrente alternata e 1500 V in corrente continua
Technical specification RXPDPTE03

TC82 Solar photovoltaic energy systems

CT82 Sistemi di conversione fotovoltaica dell'energia solare

- 62109-1 Safety of power converters for use in photovoltaic power systems - Part 1: General requirements
62109-2 Safety of power converters for use in photovoltaic power systems - Part 2: Particular requirements for inverters

TC 94/95 All-or-nothing electrical relays / Measuring relays and protection equipment


CT 94/95 Relè / Relè di misura e dispositivi di protezione

- 60255 Measuring relays and protection equipment
60255-12 Electrical relays - Part 12: Directional relays and power relays with two input energizing quantities
60255-13 Electrical relays - Part 13: Biased (percentage) differential relays
60255-27 Measuring relays and protection equipment - Part 27: Product safety requirements
60255-149 Measuring relays and protection equipment - Part 149: Functional requirements for thermal electrical relays
61733-1 Relè di misura e dispositivi di protezione - Interfaccia di protezione tra dispositivi di comunicazione Parte 1: Generalità
61811-1 Electromechanical telecom elementary relays of assessed quality - Part 1: Generic specification and blank detail specification
61812-1 Time relays for industrial and residential use - Part 1: Requirements and tests
62314 Solid-state relays
Technical specification GSTP001_RGDAT

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023
The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023


(Dott. Emanuele Riva)
Il Direttore di Dipartimento
The Department Director


(Dott. Filippo Trifiletti)
Il Direttore Generale
The General Director


(Ing. Giuseppe Rossi)
Il Presidente
The President

Allegato 2 al Certificato di accreditamento n° 070B Rev. 14 **Enclosure 2 to the accreditation Certificate n° 070B Rev. 14**

TC 96 Small transformers, reactors and power supply units and special transformers, reactors and power supply units: safety requirements

CT 96 Trasformatori di sicurezza ed isolamento

- 61558-1 Safety of power transformers, power supply units and similar – Part 1: General requirements and tests
61558-2-1 Safety of power transformers, power supplies, reactors and similar products – Part 2-1: Particular requirements and tests for separating transformers and power supplies incorporating separating transformers for general application transformers and power supply units incorporating isolating transformers
61558-2-4 Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-4: Particular requirements and tests for isolating transformers and power supply units incorporating isolating transformers

TC 104 Environmental condition, classification and methods of test

CT 104 Condizioni ambientali. Classificazioni e metodi di prova

- 60068-2-6 Environmental testing – Part 2: Test FC Vibration (sinusoidal)

TC121-SC121A-SC121B Switchgear and controlgear and their assemblies for low voltage / Low-voltage switchgear and controlgear / Low-voltage switchgear and controlgear assemblies


CT121-SC121A-SC121B Apparecchiature e quadri protetti per Bassa tensione / Apparecchiature per bassa tensione / Quadri protetti per bassa tensione

- 60947-1 Low voltage switchgear and controlgear - Part 1: General rules
60947-2 Low voltage switchgear and controlgear - Part 2: Circuit breakers
60947-3 Low voltage switchgear and controlgear - Part 3: Switch disconnectors, switch disconnectors and Fuse-combination units
60947-4-1 Low voltage switchgear and controlgear - Part 4: Contactors and motor-starters-Section 1- Electrotechnical contactors and motor-starters
60947-4-2 Low voltage switchgear and controlgear - Part 4: Contactors and motor-starters-Section 2- AC semiconductor motor controllers and starters
60947-4-3 Low voltage switchgear and controlgear - Part 4-3: AC semiconductor starters for non-motor loads
60947-5-1 Low voltage switchgear and controlgear - Part 5: Control circuit devices and switching elements - Section 1- Electromechanical control circuit devices
60947-5-2 Low voltage switchgear and controlgear - Part 5-2: Control circuit devices and switching elements - Proximity switches
60947-5-3 Low voltage switchgear and controlgear - Part 5-3: Control circuit devices and switching elements - Requirements for proximity devices with defined behaviour under fault conditions
60947-5-5 Low voltage switchgear and controlgear - Part 5-5: Control circuit devices and switching devices -Electrical emergency stop device with mechanical latching function
60947-5-6 Low-voltage switchgear and controlgear - Part 5-6: Control circuit devices and switching elements - DC interface for proximity sensors and switching amplifiers (NAMUR)
60947-5-8 Low-voltage switchgear and controlgear - Part 5-8: Control circuit devices and switching elements - Three-position enabling switches
60947-5-9 Low-voltage switchgear and controlgear - Part 5-9: Control circuit devices and switching elements - Flow rate switches
60947-6-1 Low voltage switchgear and controlgear - Part 6-1: Multiple function equipment-Section 1: Automatic transfer switching equipment
60947-6-2 Low voltage switchgear and controlgear - Part 6-2: Multiple function equipment-Section 2: Control and protective switching device (CPS)
60947-7-1 Low voltage switchgear and controlgear - Part 7-1: Ancillary equipment-Section 1:Terminal blocks for copper conductors
60947-7-2 Low voltage switchgear and controlgear - Part 7-2: Ancillary equipment-Section 2:Protective conductor terminal blocks for copper conductors
60947-7-3 Low voltage switchgear and controlgear - Part 7-3: Ancillary equipment-Section 7-3:Safety Requirements for fuse terminal blocks
60947-7-4 Low-voltage switchgear and controlgear - Part 7-4: Ancillary equipment-PCB terminal blocks for copper conductors
62208 Empty enclosures for low-voltage switchgear and controlgear-General requirements
61095 Electromechanical contactors for household and similar purposes
61439-1 Low-voltage switchgear and controlgear assemblies- Part 1: General rules
61439-2 Low-voltage switchgear and controlgear assemblies- Part 2: Power switchgear and controlgear assemblies

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023
The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023


(Dott. Emanuele Riva)
Il Direttore di Dipartimento
The Department Director


(Dott. Filippo Trifiletti)
Il Direttore Generale
The General Director


(Ing. Giuseppe Rossi)
Il Presidente
The President

Allegato 2 al Certificato di accreditamento n° 070B Rev. 14
Enclosure 2 to the accreditation Certificate n° 070B Rev. 14

- 61439-3 Low-voltage switchgear and controlgear assemblies – Part 3: Distribution boards intended to be operated by ordinary persons (DBO)
61439-4 Low-voltage switchgear and controlgear assemblies – Part 4: Particular requirements for assemblies for construction sites (ACS)
61439-5 Low-voltage switchgear and controlgear assemblies – Part 5: Assemblies for power distribution in public network
61439-6 Low-voltage switchgear and controlgear assemblies – Part 6: Busbar trunking systems (busways)
TS 61439-7 Low-voltage switchgear and controlgear assemblies - Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicles charging stations
TR 61641 Enclosed low-voltage switchgear and controlgear assemblies - Guide for testing under conditions of arcing due to internal fault

CT 316 Connessione alle reti elettriche di distribuzione Alta, Media e Bassa tensione

CEI 0-16 Regola tecnica di riferimento per la connessione di Utenti attivi e passivi alle reti AT e MT delle imprese distributrici di energia elettrica

CEI 0-21 Regola tecnica di riferimento per la connessione di Utenti attivi e passivi alle reti BT delle imprese distributrici di energia elettrica


SHAMS DUBAI - DRRG Standards

Saudi Electricity Company SEC Sustainable Integration of Renewable Energy Sources (Solar PV) with SEC Distribution Network Low Voltage and Medium Voltage

L'accreditamento per i settori elencati nel presente Allegato è valido fino a tutto il 20-05-2023
The accreditation for the sectors listed in this Enclosure is valid until 20-05-2023


(Dott. Emanuele Riva)
Il Direttore di Dipartimento
The Department Director


(Dott. Filippo Trifiletti)
Il Direttore Generale
The General Director


(Ing. Giuseppe Rossi)
Il Presidente
The President